

## EER Cores (9595282802)



Part Number: 9595282802

95 EER CORE SET

EER cores, similar to ETD cores, have been designed to make optimum use of a given volume of ferrite material for maximum throughput power. The structure, which includes a round center post, approaches a nearly uniform crosssectional area throughout the core and provides a winding area that minimizes winding losses.

EER cores can be supplied with the center post gapped to a mechanical dimension or an A<sub>1</sub> value.

Weight indicated is per pair or set.

Weight: 28 (g)

	<u>ı. 20 (g</u>	<u>,                                    </u>			
Dim	mm	mm tol	nominal inch	inch misc.	
A	28.5	$\pm 0.60$	1.122		
В	14	± 0.20	0.551	_	Chart Legend  El/ A : Core Constant, l <sub>e</sub> : Effective Path  Length, A <sub>e</sub> : Effective Cross- Sectional Area, V <sub>e</sub> Effective Core Volume
C	11.4	± 0.30	0.449	_	
D	9.6	± 0.20	0.378		
Е	21.2	min	0.835	min	
F	9.9	± 0.30	0.39	_	
A <sub>L</sub> : Expla		tance Facto		= product class a	and 3 & 4 = material grade.

Electrical Properties				
$A_L(nH)$	$3500 \pm 25\%$			
Ae(cm <sup>2</sup> )	0.859			
$\Sigma l/A(cm^{-1})$	7.3			
l <sub>e</sub> (cm)	6.29			
$V_e(cm^3)$	5.398			
$A_{min}(cm^2)$	0.77			

 $A_{r}$  value is measured at 1 kHz, B < 10 gauss.

Fair- Rite Products Corp. One Commercial Row, Wallkill, New York 12589-0288

888-324-7748

845-895-2055

Fax: 845-895-2629

ferrites@fair- rite.com • www.fair- rite.com