
## KEMET Part Number: SMW7.3473K250K95TR12 Obsolete

(F126SM473K250V, SMW100HK5470KK95T1)



SMW/F126, Film, Metallized PPS, General Purpose, 0.047 uF, 10%, 160 VAC, 250 VDC, 125C, 2824, 3.2mm



Note: '()'	correspond	to the	letters	used in	the	product	bulletin

Dimensions				
Chip Size	2824			
L	7.3mm +/-0.4mm			
W	6mm +/-0.4mm			
Т	3.2mm MAX			
F	0.5mm NOM			

Packaging Specifications		
Packaging:	T&R	
Packaging Quantity:	2300	

General Information				
Supplier:	KEMET			
Series:	SMW/F126			
Dielectric:	Metallized PPS			
Style:	SMD Chip			
Features:	High Stability			
RoHS:	Yes			
AEC-Q200:	No			

Specifications				
Capacitance:	0.047 uF			
Capacitance Tolerance:	10%			
Voltage AC:	160 VAC			
Voltage DC:	250 VDC			
Temperature Range:	-55/+125C			
Rated Temperature:	125C			
Dissipation Factor:	0.15% 1kHz, 0.25% 10kHz, 0.5% 100kHz			
Insulation Resistance:	30 GOhms			
Max dV/dt:	15 V/us			

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.

